


Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Cercus phoeners finegocollaged in the not westerand to Fort Garles Heresfund valley -2050 ( Hang Sept 8 1867)












MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS






Cerces Whentendin Godden Gardin return of overy about 24

petale 1 24

petale 24


makes open in bose of take 2 lines 2052 With short of the 6 Cin author 1 Cin Westyte much example with & patitions - event -stige miles in minfied find 6-2 or more in a been de

MISSOURI BOTANICAL copyright reserved cm GARDEN



MISSOURI BOTANICAL GARGEN GEORGE ENGELMANN PARESS






M'SSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS




Conninge. 2054 MISSOURI BOTANICAL copyright reserved GARDEN


cm







Cimpson's Cartarene Eg. Bonne Cit. La 36. Syn Cx Coidently the most northern Cereus, He was found in the region of Fort Saramie it else occurs rebundents in the Arke, But weeting Allwitt 13 mb, - 1-3, when Ligh great saviet, of colour. of the valie spine some always red, other white not the least ogsten or order i the Situation of These volone, Some time, the appear and lower spine, white a of letere red, or a few above and below or even a siagle one are red the other, all white or the lower our over over the offer white 'all these variations Formethous in one Mei in mentioned und the Jame Openimen. to show the after went of relience to be plant atter is Com - Their amage Central spices continte or 1 or 2 projecting horizontell 6-9 leas long straight or runned apenant, white on tipped with purple. 













1000

Cacharer of the Toker Pak Regions sobouted to my examination by the Chalming of Story 1. Ceneus vinisiplomes, the Caneel is beautiful sperious 3 cheher ligh, 2 sheher i Sante 13 rily Non mely 2 white central spicer, 6-8 l. long projectif horizelle, reewed aperant, white some times with a purple point, a smeller apper centre some sometimes present, strajet e mer set. Colour of the radice spicer very van ble i the Jame speriam, Someting 3 lower spely Dute, 4 Catene lowers) so, al allth uppen. lateral and approved [82'12) white, on only 1 or 2 below white, or all white a long 1-2 above or tolow red, on all the lower one, 3-9 sed, the other strike, all their in a single speriken at on fresh æreolae, not fadet!



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERSI



Oct. 1856 Tyrops pag 25; NE 9. 6is lest sperts of \$1. Peetints Cercus Rockers (of landoysth, had of Postituto)

ovato cylindricus (one costular, ostis lateritation)

10-12 interruption areoles ovato ostis lateritation consideration of lateritation of constagniments

aculeis extension to 10-15, addition maps aculeis 2-5 bruster gnoiliber adventitiet, l'atentités longimiles sumis brevinless, outrand plengue singele medi. ærstern vættreten 2-5 vobeetti as ben ving long on but brevisibus; floribes sub vertise l'alentibes megnes purpureis, ovanis pularlle, 20-24, aculcolos 10-15 albitos fuscatos que generatibus sepelis irfanciles aculeoligens sil 15 triagulari Commoletis, superior est oblavole Matter Cation public 8-12 spathe Cation , theleo inter basi nede, stigentit 10-12 vinste subentis, stand numbers on long supulit. Barn orate Tuloglobosa offering appening sombedate, sommeter oll que obouter, while longe 2059 his Sanhills, with of Older Osigle, a Par ! Will , - Actif One sperie finesand - the Conquer & gard is Sinds high and 2 for Sent out of Jong of Jong line long, bound on 5 -6, repromes 2-3

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

longer, but storter with very thick base, — Flower ability 3 into long, purple very miller to the flower of Cer. Ferling or Cer. curearathers, fort alors.

10-12 l. by make as i diamet seed, o, y l. Coy, strongly but important the species resulted of it, in Damage the Cer. day and be fait the andre are more Islant, the spires stort a longer, but fewer i nearly half the size with said and have soften the first only half the size with said nearly Carger.

Name often the first protection.

WISSOURI BOTANICAL GARDELL

The Cereary which I hoted in Sem. Cent. XIV. fig 1.

In 8 gellowth sadiel & 4 desky renther spines seed 0.6 l. long obabet somewhat oblique retiralated confluent and thereby pitted, slightly keeled; hilun baselun oval nemond portensity, \_\_\_\_ fried 6-8 l. long fleshy,